


PHP Version 5.2.4-2ubuntu5.7	
-------------------------------------	---

System	Linux lamp 2.6.24-23-generic #1 SMP Mon Jan 26 00:13:11 UTC 2009 i686
Build Date	Aug 21 2009 19:32:27
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/apache2
Loaded Configuration File	/etc/php5/apache2/php.ini
Scan this dir for additional .ini files	/etc/php5/apache2/conf.d
additional .ini files parsed	/etc/php5/apache2/conf.d/gd.ini, /etc/php5/apache2/conf.d/mysql.ini, /etc/php5/apache2/conf.d/mysqli.ini, /etc/php5/apache2/conf.d/pdo.ini, /etc/php5/apache2/conf.d/pdo_mysql.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	zip, php, file, data, http, ftp, compress.bzip2, compress.zlib, https, ftps
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, convert.iconv.*, bzip2.*, zlib.*

This server is protected with the Suhosin Patch 0.9.6.2
 Copyright (c) 2006 [Hardened-PHP Project](#)

수호신

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.2.0, Copyright (c) 1998-2007 Zend Technologies



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off

arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6135	6135
expose_php	On	On
extension_dir	/usr/lib/php5/20060613+ifs	/usr/lib/php5/20060613+ifs
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/php:/usr/share/pear	./usr/share/php:/usr/share/pear
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	32M	32M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>

post_max_size	16M	16M
precision	12	12
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	<i>no value</i>	<i>no value</i>
suhosin.log.script	<i>no value</i>	<i>no value</i>
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.facility	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>
suhosin.log.use-x-forwarded-for	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	8M	8M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.2.8 (Ubuntu) mod_python/3.3.1 Python/2.5.2 PHP/5.2.4-2ubuntu5.7 with Suhosin-Patch mod_ssl/2.2.8 OpenSSL/0.9.8g mod_perl/2.0.3 Perl/v5.8.8
Apache API Version	20051115
Server Administrator	webmaster@localhost
Hostname:Port	127.0.1.1:80
User/Group	www-data(33)/33

Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/apache2
Loaded Modules	core mod_log_config mod_logio prefork http_core mod_so mod_alias mod_auth_basic mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dir mod_env mod_mime mod_python mod_negotiation mod_perl mod_php5 mod_rewrite mod_setenvif mod_ssl mod_status

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	192.168.56.101
HTTP_USER_AGENT	Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.2) Gecko/20090729 Firefox/3.5.2 (.NET CLR 3.5.30729)
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-us,en;q=0.5
HTTP_ACCEPT_ENCODING	gzip,deflate
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.7
HTTP_KEEP_ALIVE	300
HTTP_CONNECTION	keep-alive
HTTP_REFERER	http://192.168.56.101/
HTTP_COOKIE	pma_navi_width=200; SESS0863933d544998afefb43477c80a5bdb=ea3c1b696012532b983d8a5fa84bd405; sidebar=true
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<address>Apache/2.2.8 (Ubuntu) mod_python/3.3.1 Python/2.5.2 PHP/5.2.4-2ubuntu5.7 with Suhosin-Patch mod_ssl/2.2.8 OpenSSL/0.9.8g mod_perl/2.0.3 Perl/v5.8.8 Server at 192.168.56.101 Port 80</address>
SERVER_SOFTWARE	Apache/2.2.8 (Ubuntu) mod_python/3.3.1 Python/2.5.2 PHP/5.2.4-2ubuntu5.7 with Suhosin-Patch mod_ssl/2.2.8 OpenSSL/0.9.8g mod_perl/2.0.3 Perl/v5.8.8
SERVER_NAME	192.168.56.101
SERVER_ADDR	192.168.56.101
SERVER_PORT	80
REMOTE_ADDR	192.168.56.1
DOCUMENT_ROOT	/var/www/
SERVER_ADMIN	webmaster@localhost
SCRIPT_FILENAME	/var/www/phpinfo.php
REMOTE_PORT	56632
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/phpinfo.php
SCRIPT_NAME	/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /phpinfo.php HTTP/1.1
Host	192.168.56.101
User-Agent	Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.2) Gecko/20090729 Firefox/3.5.2 (.NET CLR 3.5.30729)
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en-us,en;q=0.5
Accept-Encoding	gzip,deflate
Accept-Charset	ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive	300
Connection	keep-alive
Referer	http://192.168.56.101/
Cookie	pma_navi_width=200; SESS0863933d544998afefb43477c80a5bdb=ea3c1b696012532b983d8a5fa84bd405; sidebar=true
HTTP Response Headers	
X-Powered-By	PHP/5.2.4-2ubuntu5.7
Keep-Alive	timeout=15, max=99
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.4, 20-Dec-2006

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal

Default timezone	UTC
------------------	-----

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.31
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5.2.20 2007/06/10 20:12:45 iliaa Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.39 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
------------	---------

GD Version	2.0 or higher
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.5
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.7

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.6.31
libXML streams	enabled

mbstring

Multibyte Support	enabled
--------------------------	---------

Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.7
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mime_magic

mime_magic support	invalid magic file, disabled
---------------------------	-------------------------------------

Directive	Local Value	Master Value
mime_magic.debug	Off	Off
mime_magic.magicfile	/usr/share/file/magic.mime	/usr/share/file/magic.mime

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.51a
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql

MYSQL_LIBS	-L/usr/lib -lmysqlclient
-------------------	--------------------------

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.51a
Client API header version	5.0.51a
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8g 19 Oct 2007

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.4 2007-09-21

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql

pdo_mysql

PDO Driver for MySQL, client library version	5.0.51a
--	---------

posix

Revision	\$Revision: 1.70.2.3.2.16 \$
----------	------------------------------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.45 2007/08/20 17:01:22 sebastian Exp \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	0	0
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php5	/var/lib/php5
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.35 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0

default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 1.20.2.3.2.6 \$

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.31

xmlreader

XMLReader	enabled
------------------	---------

xmlwriter

XMLWriter	enabled
------------------	---------

zip

Zip	enabled
Extension Version	\$Id: php_zip.c,v 1.1.2.38 2007/08/06 22:02:32 bjori Exp \$
Zip version	2.0.0
Libzip version	0.7.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate

Compiled Version	1.2.1.1
Linked Version	1.2.3.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
APACHE_PID_FILE	/var/run/apache2.pid
PATH	/usr/local/bin:/usr/bin:/bin
LANG	C
APACHE_RUN_GROUP	www-data
APACHE_RUN_USER	www-data
PWD	/

PHP Variables

Variable	Value
_REQUEST["pma_navi_width"]	200
_REQUEST["SESS0863933d544998afefb43477c80a5bdb"]	ea3c1b696012532b983d8a5fa84bd405
_REQUEST["sidebar"]	true
_COOKIE["pma_navi_width"]	200
_COOKIE["SESS0863933d544998afefb43477c80a5bdb"]	ea3c1b696012532b983d8a5fa84bd405
_COOKIE["sidebar"]	true
_SERVER["HTTP_HOST"]	192.168.56.101
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.2) Gecko/20090729 Firefox/3.5.2 (.NET CLR 3.5.30729)
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us,en;q=0.5
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_KEEP_ALIVE"]	300
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_REFERER"]	http://192.168.56.101/
_SERVER["HTTP_COOKIE"]	pma_navi_width=200; SESS0863933d544998afefb43477c80a5bdb=ea3c1b696012532b983d8a5fa84bd405; sidebar=true
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.8 (Ubuntu) mod_python/3.3.1 Python/2.5.2 PHP/5.2.4-2ubuntu5.7 with Suhosin-Patch mod_ssl/2.2.8 OpenSSL/0.9.8g mod_perl/2.0.3 Perl/v5.8.8 Server at 192.168.56.101 Port 80</address>

_SERVER["SERVER_SOFTWARE"]	Apache/2.2.8 (Ubuntu) mod_python/3.3.1 Python/2.5.2 PHP/5.2.4-2ubuntu5.7 with Suhosin-Patch mod_ssl/2.2.8 OpenSSL/0.9.8g mod_perl/2.0.3 Perl/v5.8.8
_SERVER["SERVER_NAME"]	192.168.56.101
_SERVER["SERVER_ADDR"]	192.168.56.101
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	192.168.56.1
_SERVER["DOCUMENT_ROOT"]	/var/www/
_SERVER["SERVER_ADMIN"]	webmaster@localhost
_SERVER["SCRIPT_FILENAME"]	/var/www/phpinfo.php
_SERVER["REMOTE_PORT"]	56632
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["REQUEST_TIME"]	1251699740
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["APACHE_PID_FILE"]	/var/run/apache2.pid
_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin
_ENV["LANG"]	C
_ENV["APACHE_RUN_GROUP"]	www-data
_ENV["APACHE_RUN_USER"]	www-data
_ENV["PWD"]	/

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.